

RP 600Z

A compact fiche oriented reader-printer



MINOLTA



Compact, quiet, energy-saving. The Minolta RP600Z reader-printer.

The RP600Z is everything a reader-printer should be, but usually isn't. It's compact, so it can be placed on a desk or table — wherever you need quick access to your films.

The RP600Z is quiet — more so than any other model in its class — so it can be used in any office environment without bothering those working nearby.

The RP600Z is also energy efficient. A Reader/Reader Printer switch lets you dramatically cut energy consumption — and your energy bills — during those times when you don't need to print what you're viewing.

Prints are inexpensive, while print quality is outstanding. Minolta's exclusive dry Micro-Toning System and world-renowned lenses combine to produce consistently crisp, clear prints with excellent contrast. And the RP600Z's zoom lens is compatible with all common COM (Computer Output Microfilm) formats.

Compact, quiet, and energy-saving, with great-looking, low-cost prints...the RP600Z is everything a reader-printer should be. Only from Minolta.



Zoom Lens

The RP600Z's 18x-36x zoom lens provides maximum magnification ease and versatility while eliminating the need to frequently change lenses. This lens also permits 8-1/2" x 11" (A4) viewing and printing of all common COM formats. A zoom dial ensures quick, smooth zooming for viewing and printing at any desired magnification. Conventional lenses with 23.5x, 29x, 41x and 46x magnifications are also available.



Easy Operation

All controls are neatly arrayed at the front of the unit, near the natural hand position of the operator. Prints are delivered into the front-mounted, built-in print tray just below the control panel.

Extra Large, 12" x 12" Screen

Compact though it may be, the desktop RP600Z boasts a screen that is just as large as those of conventional floor-standing reader/printers, permitting viewing of entire letter-size (A4) documents at normal magnification.

Bi-modal Printing

The RP600Z is available in a Bi-mode model that permits printing of positive images from both negative and positive films with a simple change of imaging units. An optional Bi-modal Printing Unit can also be ordered for the Uni-mode model whenever your needs require it.

Quick, Crisp Prints

Your first letter-size print appears in just 14.5 seconds. Subsequent prints are produced at the rate of 6 prints per minute, or 5 prints per minute for A4-size prints. Up to 9 prints can be printed in a single run.

150-sheet Paper Cassette

Conveniently located at the side of the unit for maximum ease of refilling, the paper cassette holds up to 150 sheets of letter-size (A4) plain paper, reducing the need to frequently stop printing in order to refill the cassette.




Fiche Carrier

The RP600Z's microfiche carrier permits viewing of microfiche, jackets and aperture cards; the upper glass opens automatically for insertion of these microforms when the carrier is pulled out. The fiche carrier can be easily moved in any direction to find the desired frame.

Optical Image Rotation

With the RP600Z's prism lenses, skewed images can be manually adjusted using the image rotation knob for perfect printing alignment every time.



Screen Brightness Control

2 brightness settings—Standard and High—allow the user to adjust screen brightness for optimum viewing ease.



RP600Z SPECIFICATIONS

Type:	Desktop reader printer
Printing method:	Dry printing on plain paper
Developing system:	Minolta Micro-Toning system
Density control:	Manual
Film:	Microfiche, Jackets, 16mm roll film
Screen:	12" x 12" (305mm x 305mm)
Magnification:	18 x -36 x, 23.5 x *, 29 x *, 41 x *, 46 x * *Prism lenses for source document fiche
Image rotation:	Prism rotation
Print sizes:	Letter size (A4): 8-1/2" x 11" (210mm x 297mm)
Print speed:	6 prints per minute
First copy speed:	14.5 seconds
Warm-up time:	30 seconds (approx.)
Multiple prints:	1-9 prints (LED countdown indication)
Paper supply:	Autofeed, 150-sheet cassette
Dimensions:	19" (W) x 29" (D) x 26" (H) 487mm(W) x 733mm(D) x 661mm(H)
Weight:	82 lbs. (37 kg)
Options:	16mm roll film adaptor Cursor Bi-mode Unit Lenses *Specifications subject to change without notice.



Minolta Corporation, Business Systems Div., 101 Williams Drive, Ramsey, New Jersey 07446, USA, Phone (201)825-4000
Minolta Hong Kong Limited, Document Imaging Systems Dept., Room 208, Eastern Centre, 1065 King's Road, Quarry Bay, Hong Kong, China, Phone 2565-8181
Minolta Singapore (Pte) Ltd., Business Imaging Systems Div., 10, Teban Gardens Crescent, Singapore 2260, Phone 5635533
Minolta New Zealand Limited, 34 Vestey Drive, Mt. Wellington, Auckland, New Zealand, Phone 09-573-5450
MINOLTA CO., LTD., 3-13, 2-Chome, Azuchi-Machi, Chuo-Ku, Osaka 541-8556, Japan

Printed in Japan

9251-4404-11

S901(E)-B3